

ALERION 30 2020 SPECIFICATIONS

30'1" LENGTH OVERALL 24'5" LENGTH WATER LINE BEAM 8'9" 5'0" DRAFT AIR DRAFT 41'11" **DISPLACEMENT** 6.424 LBS. BALLAST 2,650 LBS. SAIL AREA 465 SQ. FT. SAIL AREA/DISP 21.4

AUX. ENGINE 12 HP VOLVO DIESEL

W/ SAILDRIVE

HULL

- Infusion-molded GRP with biaxial and unidirectional E-glass reinforcing fabrics
- FOAM CORE
- VINYL ESTER RESIN GELCOAT REINFORCING LAYER
- WHITE GELCOAT HULL COLOR
- MOLDED GELCOAT SINGLE BOOT STRIPE
- SINGLE-PIECE STRUCTURAL GRID W/INTEGRAL BULKHEADS, KEEL FLOOR, ENGINE BED, MAST STEP AND LONGITUDINAL STRINGERS BONDED WITH PLEXUS
- E-GLASS AND FOAM CORE STRUCTURAL BULKHEADS BONDED TO HULL AND DECK WITH PLEXUS

DECK

- Infusion molded GRP with biaxial reinforcing fabrics and foam core w/extreme 2000 inserts
- WHITE DECK WITH MOLDED NONSKID IN BUFF OR LIGHT GREY
- FLANGE TYPE HULL TO DECK JOINT BONDED WITH PLEXUS
- TEAK TOERAIL

STEERING

- LAMINATED TEAK TILLER WITH EXTENSION
- HIGH-STRENGTH STAINLESS STEEL RUDDER SHAFT AND POLISHED STAINLESS STEEL RUDDER HEAD
- CARBON-FIBER REINFORCED RUDDER BLADE; HIGH ASPECT RATIO, BALANCED SPADE TYPE
- LOW-MAINTENANCE, SELF-ALIGNING BEARINGS

KEEL

- FIN WITH INTEGRAL FLARED BULB FOR LOW CENTER OF GRAVITY
- ONE-PIECE LEAD CASTING ALLOYED WITH ANTIMONY, BOLTED TO MOLDED KEEL SUMP

MAST AND BOOM

- CARBON-FIBER MAST & BOOM
- (2) SETS OF ALUMINUM SPREADERS
- G-10 MAST STEP
- MAINSAIL LUFF TRACK WITH CARS
- MASTHEAD ANCHOR LIGHT
- STEAMING LIGHT
- BOOM AND MAST PAINTED BLACK
- RIGID BOOM VANG
- WINDEX

STANDING RIGGING

- ROD RIGGING WITH OPEN BODY TURNBUCKLES
- INTERNAL STAINLESS STEEL HEADSTAY FOUNDATION
- STAINLESS STEEL RECESSED CHAINPLATES TO REINFORCED HULL

RUNNING RIGGING

- TAPERED SPECTRA MAIN AND JIB HALYARDS
- MAINSHEET LED TO RATCHET & CAM CLEAT OR BOOM
- SELF-TACKING SINGLE JIB SHEET LED THROUGH SEAHOOD TO COCKPIT FACE WITH COARSE AND FINE TUNE
- SINGLE-LINE REEFING
- JIB FURLER, OUTHAUL AND TRAVELER CONTROL LINES

DECK HARDWARE & EQUIPMENT

- UNDERDECK HEADSAIL FURLING UNIT
- Cabintop self-tailing stainless 35.2 winches
- (2) WINCH HANDLES
- RUNNING RIGGING BLOCKS

* ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



ALERION 30 2020 SPECIFICATIONS

DECK HARDWARE & EQUIPMENT (CONTINUED)

- FLUSH-MOUNT SAFETY REBOARDING LADDER
- SPINLOCK ROPE CLUTCHES
- DECK ORGANIZERS
- 4:1 MAINSHEET TRAVELER WITH COCKPIT CONTROL LINES
- (1) LEWMAR FOREDECK HATCH
- (4) STAINLESS STEEL OVAL PORTLIGHTS
- TEAK FLAG STAFF AND DECK-MOUNTED SOCKET. FLAG.
- TEAK HANDRAILS ON CABIN HOUSE TOP
- COMPANIONWAY SLIDING HATCH WITH SEAHOOD AND LEXAN WASHBOARDS
- STARBOARD COCKPIT STORAGE LOCKER
- LARGE TRANSOM STORAGE LOCKER
- LARGE, MOLDED FORWARD ANCHOR LOCKER
- (4) STAINLESS STEEL MOORING CLEATS FWD AND AFT
- (2) STAINLESS STEEL MOORING CLEATS AMIDSHIPS
- COMPANIONWAY AND COCKPIT HATCH LOCKS
- DECK FILLS FOR FUEL AND WASTE
- COCKPIT MOUNTED BILGE PUMP W/HANDLE

INTERIOR

- MOLDED BULKHEADS WITH TEAK TRIM
- MOLDED SHELVES WITH TEAK FIDDLE
- SOLID TEAK FRAMED DOORS WITH PLYWOOD PANELS
- FURNITURE IS MOLDED FIBERGLASS IN MODULES, INTEGRAL WITH THE INTERNAL HULL STRUCTURE AND CAPPED WITH SOLID TEAK TRIM AND FIDDLES
- MOLDED WHITE TONGUE & GROOVE STYLE CEILING & SIDES
- VARNISHED TEAK AND HOLLY CABIN SOLE
- INTERIOR VARNISH (FINISH)

FORWARD PLATFORM

• V-BERTH WITH STORAGE UNDER BERTH

MAIN CABIN

- SETTEES PORT AND STARBOARD W/CUSHIONS
- SHELVES OUTBOARD OF SETTEES
- STORAGE IN PORT AND STARBOARD SIDE SEATBACKS

GALLEY

- DRY STORAGE LOCKERS
- SINGLE BURNER STOVE TOP
- CORIAN COUNTERTOPS W/MOLDED SINK AND FOOT PUMP
- COOLER

HEAD

- WHITE MOLDED GRP PAN
- PLUMBED MARINE HEAD W/Y VALVE, HOLDING TANK

ELECTRICAL

- 12 VOLT DC SYSTEM DESIGNED TO ABYC
- ALL WIRING TIN-PLATED TO INHIBIT CORROSION
- ALL WIRING CODED FOR EASE OF IDENTIFICATION
- BONDING SYSTEM
- DC MASTER PANEL WITH ANALOG METER AND MAGNETIC CIRCUIT BREAKERS
- BATTERY SWITCH
- (2) 12 VOLT AGM BATTERIES
- (2) LED READING LIGHTS
- OVERHEAD LED LIGHTING IN GALLEY AND HEAD

NAVIGATION LIGHTS

- PORT AND STARBOARD LED STEMHEAD LIGHTS
- LED STERN LIGHT MOUNTED ON AFT DECK
- LED ANCHOR LIGHT

ENGINE

- 12 HP VOLVO DIESEL W/ SAILDRIVE
- TWO-BLADE GORI FOLDING PROPELLER
- INTEGRATED GRP ENGINE BED AND OIL PAN
- THROUGH-TRANSOM WET EXHAUST
- WATERLOCK MUFFLER
- SINGLE-LEVER ENGINE CONTROL

TANKAGE

- 15 GALLON FUEL TANK
- 9 GALLON MARINE HOLDING TANK
- 5 GALLON FRESH WATER BLADDER TANK

* ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



ALERION 30 2020 SPECIFICATIONS

OPTIONAL EQUIPMENT

- 36" Edson teak wheel
- ELECTRIC WINCHES (WITH WHEEL OPTION)
- REMOVABLE COCKPIT TABLE
- BOW AND STERN PULPITS W/LIFELINES AND GATES
- TEAK COCKPIT SOLE
- V-BERTH CUSHIONS
- BULKHEAD-MOUNTED COMPASS
- SAFETY KIT (PFDs, FENDERS, DOCK LINES, ANCHOR W/RODE)
- SHOREPOWER WITH BATTERY CHARGER
- HELLA TURBO FANS IN FOREPEAK BERTH AND CABIN
- ELECTRONICS PER OWNER SPECIFICATION
- LAZY JACKS
- WHEEL OR TILLER COVER
- BOOM TENT COCKPIT COVER
- DODGER W/SIDE CURTAINS AND LEATHER WRAPPED GRAB-RAILS
- COCKPIT CUSHIONS

* ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE